

# ● PRINTER RUSH ●

## (PTO ASSISTANCE)

Application : <u>10/668047</u>	Examiner : <u>Vogel</u>	GAU : <u>1636</u>
From: <u>he</u>	Location: <u>IDC</u> FMF FDC	Date: <u>2/1/05</u>
Tracking #: <u>0604 1455</u>		Week Date: <u>1/15/04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	_____	

**[RUSH] MESSAGE:** Paper copy of sequence listing does not match the  
electronic copy received in sequences 1-4. The sequences start out  
with "Met" on the paper copy and "Val" on the electronic copy. The two  
must match. Please advise.

Thank you.

**[XRUSH] RESPONSE:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
 REV 10/04